

Company Name Address:

Pro-Link, Inc. 500 Chapman St. Canton, MA 02021

Information Telephone Number(s)

781-828-9550

Section 1 - Product InformationProduct Name (ID #): **XLink 25 Finish**

EMERGENCY TELEPHONE NUMBER

Product Type: **Wood floor finish**

1-800-535-5053

Section 2 - Information on Ingredients

Chemical Name	% by Weight	Cas #	OSHA PEL	ACGIH TLV
1-Methyl -2 Pyrrolidone	<10%	872-50-4	NE	NE
*Diethylene Glycol Methyl ether	< 5%	111-77-3	NE	NE
Dipropylene Glycol Methyl ether	< 5%	34590-94-8	100 ppm	150 ppm

55

*Chemicals marked with an asterick in Section Two are subject to the reporting requirements for Section 313 of Title III of the Superfund Amendments & Reauthorization Act (SARA) of 1986 & 40 CFR Part 372.

Section 3 - Hazards Identification**Emergency Overview:**

Keep Out of Reach of Children. CAUTION: May cause eye and skin irritation. May cause gastro intestinal irritation if swallowed. Vapors may be harmful.

Potential Health Effects**Primary Routes of Exposures**

Eyes, skin, oral and inhalation are the principle routes of exposure.

Acute Eye Contact:

May cause burning sensation and eye irritation.

Acute Skin Contact:

Prolonged and repeated skin contact may cause skin irritation.

Acute Ingestion:

Ingestion may cause nausea, vomiting and diarrhea.

Acute Inhalation:

Inhalation may cause irritation of the respiratory tract and mucous membranes.

Chronic Information:

Prolonged

Carcinogenicity: IARC – No

NTP – No

OSHA – No

ACGIH – No

Section 4 - First Aid Measures

Skin Contact:

Flush with plenty of water for 15 minutes. Remove contaminated clothing. Wash before reuse. If irritation persists, call physician.

Eye Contact:

Immediately flush eyes with plenty of water for 5 - 10 minutes. Get medical attention, if irritation persists.

Ingestion:

Give large quantities of water to dilute stomach content. Do NOT induce vomiting. Get medical attention.

Inhalation:

Remove to fresh air. If qualified, give artificial respiration if breathing is difficult. Get immediate medical attention.

(If any condition persists - Consult a physician).

Section 5 - Fire Fighting Measures

Flash Point (Method): > 175F

Flammable Limits: LFL NE

UFL: NE

Fire & Explosion Hazards: Irritating and toxic substances will be emitted upon combustion, burning or decomposition.

Extinguishing Media:

Water spray, dry chemical and protein type air foams.

Special Fire Fighting Procedures:

Wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Hazardous Combustion Products:

None

Section 6 - Accidental Release Measures

Contain spill, ventilate area. Soak up large and small spills with inert absorbent. Place into closed chemical waste container for disposal.

Section 7 - Handling and Storage

Avoid eye contact. Avoid prolonged or repeated skin contact. Avoid breathing fumes. Wash thoroughly after handling. Store in closed labeled containers. Keep out of reach of children.

Section 8 - Exposure Controls Personal Protection**Eye Protection:**

Safety Glasses

Skin Protection:

Rubber gloves, if prolonged contact

Respiratory Protection:

None normally required, use NIOSH respirator if excessive misting exceeds exposure limits.

Ventilation Requirements:

Local and mechanical exhaust to keep below any listed TLV's.

Other:Chemical apron when handling large volumes of material.

Section 9 - Physical / Chemical Properties

Physical Form:	Liquid	pH:	8.5 ± 0.5
Color:	Translucent	Specific Gravity:	1.0204
Odor:	Slight glycol ether	Solubility:	Dispersible
Boiling Point:	Approximately 212°F	Freezing Point:	NE
Evaporation Rate:	About the same as water.	% Volatile:	75%
Vapor Pressure:	NE	V.O.C.	265gm/l

Section 10 - Stability and Reactivity**Stability:**

This product is stable at ambient temperature and pressure.

Hazardous Decomposition Products:

None

Hazardous Polymerization:

Will not occur

Incompatibility:

Unknown

Section 11 - Toxicology Information

Not established.

Section 12 - Ecology Information

Not established.

Section 13 - Disposal Considerations

Incinerate waste product in permitted incineration facility in accordance with all governmental regulations.

Section 14 - Transport Information**DOT****Proper Shipping Name:** Not a D.O.T. Hazardous shipping material**Packing Group:** NA**Emergency Guide No:** NA**DOT Label:** NA**Hazard Class:** NA**ID Number:** NA

Section 15 - Regulatory Information**Toxic Substances Control Act:**

All components of this product are on the TSCA inventory.

Section 311 / 312:

Immediate health hazard.

Section 313:**See section 2.****OSHA Hazard Communications Standard (29 CFR 1910.1200)**

This product is hazardous by definition of the Hazard Communication Standard.

NPCA Hazardous Material Identification System (HMIS Rating) Health 1 Flammability 0 Reactivity 0

Section 16 - Other Information

Disclaimer: No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature, are made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present unknown health hazards and should always be used with caution. The information and recommendations contained herein are presented in good faith and are supplied pursuant to 29 CFR 1910.1200. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, with all applicable Federal, State and local regulations governing the use and disposal of this material.

Prepared by: Regulatory Affairs Department.