

Company Name Address:

Pro-Link, Inc. 500 Chapman St. Canton, MA 02021

Information Telephone Number(s)

781-828-9550

Section 1 - Product Information

Product Name (ID #): Oxygen XLink Finish

EMERGENCY TELEPHONE NUMBER

Product Type: Water Based, Oil Modified Urethane Coating

1-800-535-5053

Section 2 - Information on Ingredients

| Chemical Name | % by Weight | Cas # | OSHA PEL | ACGIH TLV |
|------------------------|-------------|----------|----------|-----------|
| 1-Methyl -2Pyrrolidone | < 5% | 872-50-4 | NE | NE |

51

*Chemicals marked with an asterick in Section Two are subject to the reporting requirements for Section 313 of Title III of the Superfund Amendments & Reauthorization Act (SARA) of 1986 & 40 CFR Part 372.

Section 3 - Hazards Identification**Emergency Overview:**

Keep Out of Reach of Children. CAUTION: May cause eye irritation. Prolonged contact with skin may cause irritation. May cause gastro intestinal irritation if swallowed. Vapors may be harmful.

Potential Health Effects**Primary Routes of Exposures**

Eyes, skin and oral are the principle routes of exposure.

Acute Eye Contact:

May cause burning sensation and eye irritation.

Acute Skin Contact:

Prolonged and repeated skin contact may cause skin irritation.

Acute Ingestion:

May cause gastro intestinal irritation if swallowed.

Acute Inhalation:

Inhalation of vapor may be highly irritating to the respiratory tract.

Chronic Information:

Unknown

Carcinogenicity: IARC – No

NTP – No

OSHA – No

ACGIH – No

Section 4 - First Aid Measures

Skin Contact:

Flush with plenty of water for 15 minutes. Remove contaminated clothing. Wash before reuse. If irritation persists, call physician.

Eye Contact:

Immediately flush eyes with plenty of water for 5 - 10 minutes. Get medical attention, if irritation persists.

Ingestion:

Give 1 -2 glasses of water or milk to drink, Do NOT induce vomiting, get medical attention immediately.

Inhalation:

Remove to fresh air. If qualified, give artificial respiration if breathing is difficult. Get immediate medical attention.

(If any condition persists - Consult a physician).

Section 5 - Fire Fighting Measures

Flash Point (Method): None

Flammable Limits: LFL NA

UFL: NA

Fire & Explosion Hazards: When driers such as cobalt naphthanate are added, air oxidation may cause it to combust.

Extinguishing Media:

Alcohol foam, carbon dioxide or water spray.

Special Fire Fighting Procedures:

Containers of this material may build up pressure if exposed to heat. Use water spray to cool fire exposed containers

Hazardous Combustion Products:

Oxides of carbon.

Section 6 - Accidental Release Measures

Contain spill. Absorb with inert material such as dry sand or earth, and place it in a chemical waste container. For large spill, dike and pump material into waste containers.

Section 7 - Handling and Storage

Store so as to be inaccessible to children. Keep from freezing. Wash thoroughly after handling. Keep containers tightly sealed after use. Use only according to label directions.

Section 8 - Exposure Controls Personal Protection**Eye Protection:**

Safety Glasses

Skin Protection:

Rubber gloves, if prolonged contact

Respiratory Protection:

None normally required. NIOSH respirator if excessive misting occurs.

Ventilation Requirements:

Local and mechanical exhaust to keep below any listed TLV's.

Other:

Impervious clothing to avoid repeated or direct skin contact.

Section 9 - Physical / Chemical Properties

| | | | |
|--------------------------|--------------------------|--------------------------|-------------|
| Physical Form: | Liquid | pH: | 8.5 ± 0.5 |
| Color: | Opaque | Specific Gravity: | 1.02 |
| Odor: | Nil | Solubility: | Dispersible |
| Boiling Point: | Approximately 212°F | Freezing Point: | NE |
| Evaporation Rate: | About the same as water. | % Volatile: | 70% |
| Vapor Pressure: | NE | V.O.C. | 193gm/l |

Section 10 - Stability and Reactivity**Stability:**

This product is stable at ambient temperature and pressure.

Hazardous Decomposition Products:

Combustion may yield Carbon Monoxide and/or Carbon Dioxide.

Hazardous Polymerization:

Will not occur.

Incompatibility:

Driers such as cobalt naphthanate.

Section 11 - Toxicology Information

Not established.

Section 12 - Ecology Information

Not established.

Section 13 - Disposal Considerations

Place in a D.O.T. approved chemical waste container. Check all federal, state and local regulations.

Section 14 - Transport Information**DOT****Proper Shipping Name:** Not a D.O.T. Hazardous shipping material**Packing Group:** NA**Emergency Guide No:** NA**DOT Label:** NA**Hazard Class:** NA**ID Number:** NA

Section 15 - Regulatory Information**Toxic Substances Control Act:**

All components of this product are on the TSCA inventory.

Section 311 / 312:

Immediate health hazard.

Section 313:**See section 2.****OSHA Hazard Communications Standard (29 CFR 1910.1200)**

This product is hazardous by definition of the Hazard Communication Standard.

NPCA Hazardous Material Identification System (HMIS Rating) Health 1 Flammability 0 Reactivity 0

Section 16 - Other Information

Disclaimer: No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature, are made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present unknown health hazards and should always be used with caution. The information and recommendations contained herein are presented in good faith and are supplied pursuant to 29 CFR 1910.1200. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, with all applicable Federal, State and local regulations governing the use and disposal of this material.

Prepared by: Regulatory Affairs Department.