


HAZARD RATING

4-EXTREME
3-HIGH
2-MODERATE
1-SLIGHT



MATERIAL SAFETY DATA SHEET

(Prepared according to 29 CFR 1910.1200)

Date Prepared: 6-13-08

SECTION 1 - PRODUCT IDENTIFICATION

Company Name	Pro-Link, Inc.	Emergency Telephone No.	1-800-535-5053
Address	500 Chapman St., Canton, MA 02021	Information Telephone No.	781-828-9550
Product Name / ID#	Chemicercenter 54 Oxygenated Cleaner	Product Type	General Purpose Cleaner <input checked="" type="checkbox"/> Proprietary Product

SECTION 2 - HAZARDOUS INGREDIENTS

Chemical Name/Common Name	Cas No.	Percent (optional)	TLV (Source)
Hydrogen Peroxide	7722-84-1	< 10%	1 ppm (ACGIH)

* Substances Contains no substances - subject to the reporting requirements of SARA 313 and 40 CFR Part 372.

SECTION 3 - PHYSICAL DATA

Boiling Point (°F)	A;pprox. 212°F	Specific Gravity (H ₂ O=1.0)	1.02 ± 0.005	pH	4.5 ± 0.5	% VOC (ww)	0.5%
Solubility In Water	<input checked="" type="checkbox"/> Complete <input type="checkbox"/> Insoluble <input type="checkbox"/> Emulsifiable or (Dispersible) <input type="checkbox"/> Slight (or Partial)						
Evaporation Rate (vs H ₂ O)	<input type="checkbox"/> Faster <input type="checkbox"/> Slower <input checked="" type="checkbox"/> About the Same		Vapor Pressure	NE		Vapor Density	NE

Appearance and Odor Clear colorless thin liquid. Floral odor.

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (T.C.C.)	None	<input checked="" type="checkbox"/> None to boiling	Flammable Limits	Upper	NA	Lower	NA
Extinguishing Media	None						

Special Fire Fighting Procedures Any container surrounded by fire should be flooded with water for cooling.

Unusual Fire Explosion Hazards On decomposition releases oxygen which may intensify fire.

SECTION 5 - REACTIVE DATA

Stability Stable-Excessive heat may cause some Incompatibility Reducing agents; Organic material; Dirt; Iron and other heavy metals; Caustic.

Hazardous Decomposition Products Oxygen that supports combustion.

SECTION 6 - HEALTH HAZARDS

Threshold Limit Value Product See Section 2 for Ingredients TLV None Established Not Applicable Primary routes of Exposure Eyes Skin Oral Inhalation

Signs Symptoms of Over-exposure (Acute) Extremely irritating /corrosive to eyes and gastro intestinal tract. May cause irreversible tissue damage to eye, including blindness. Inhalation of mist or vapors may be severely irritating to nose, throat and lungs. May cause skin irritation.

Signs Symptoms of Over-exposure (Chronic) NA

Medical Conditions Aggravated by Over-exposure Unknown

Carcinogen/Suspected Carcinogen Ingredients: NTP IARC OSHA None

SECTION 7 - FIRST AID PROCEDURES - (If any Condition persists - Consult a physician.)

Eyes Flush with plenty of water for 15 minutes. Call a physician.

Skin Wash with plenty of water for 15 minutes while holding eyes open. Remove contaminated clothing and wash before reuse.

Ingestion Give quantities of water to dilute. Do NOT induce vomiting. Get medical attention immediately.

Inhalation Remove to fresh air. If breathing is difficult or discomfort occurs, call a physician.

SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection None usually needed. A self contained breathing apparatus should be used if concentration of hydrogen peroxide exceeds, 10 ppm.

Ventilation requirements Local Exhaust Mechanical As needed to keep below any listed TLV's or for general good ventilation.

Protective Gloves Rubber Gloves Eye Protection Safety glasses

Other Protective Clothing Rubber apron recommended when handling larger volumes of material.

SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be Taken if Released or Spilled Contain spill. Dilute with large volume of water. Neutralize as necessary with dilute inorganic base.

Waste Disposal Methods Check government regulations. Probable to flush neutralized diluted material to sanitary sewer system with plenty of water.

SECTION 10 - STORAGE AND HANDLING INFORMATION

Precautions to be Taken in handling and Storage Store so as to be inaccessible to children. Store in cool place. Wash thoroughly after handling.