

# Material Safety Data Sheet

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Air Neutralizer - All Fragrances (All American, African Safari, Middle Eastern Oasis, Oriental Garden, Classic Apple, Classic Cinnamon, Classic Vanilla, Country Bouquet, Imagination, Seashore, Spring Meadow, Summer Garden, Morning Breeze)

**Manufacture For:** Pro-link, Inc.  
500 Chapman Street  
Canton, MA

**Phone:** 1-800-745-4657

**24 – Hour Emergency Contact**  
**1-800-535-5053 (Infotrac)**

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients as defined by OSHA, 29 CFR 1910.1200:

<u>INGREDIENTS</u>	<u>CAS#</u>	<u>ACGIH-TLV</u>	<u>OSHA- PEL</u>	<u>LC<sub>50</sub></u>	<u>LD<sub>50</sub></u>	<u>%BY WT</u>
Acetone	67-64-1	500ppm	750ppm, 1800mg/m <sup>3</sup> TWA	>16000mg/m <sup>3</sup> 4h, rat	5800mg/kg oral, rat	40-50
Propane	74-98-6	2500ppm	1000ppm, TWA	280000ppm 4h, rat	not available	20-30
Hexylene Glycol	107-41-5	25ppm, ceiling	Not available	Not Available	3700mg/kg oral, rat	5-10

## 3. HAZARDS IDENTIFICATION

FLAMMABLE LIQUID!

Contents under pressure do not expose to fire or extreme heat

### Potential Health Effects:

Route of Entry: Eye: Y Skin: Y Inhalation: Y Ingestion: Y

Health Hazards: May cause eye and skin irritation, as well as respiratory irritation, may cause stomach distress

Signs/systems of  
Over exposure:

High vapor concentrations or excessive intentional inhalation may cause upper respiratory tract irritation, sleepiness and/or dizziness, and eye irritation.

Prolonged skin contact may cause mild redness and swelling. Contact with eyes may cause irritation, experienced as discomfort or pain, excessive blinking and tear production, with marked excess redness and swelling. Corneal injury may occur. This product can be absorbed through the skin.

Medical Conditions

aggravated by exposure: Skin contact may aggravate an existing skin condition.

## 4. FIRST AID MEASURES

**EYE CONTACT:** Immediately rinse eyes with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Obtain medical attention if irritation persists.

**SKIN CONTACT:** Rinse affected area with plenty of water until no evidence of product remains; obtain medical attention if irritation persists.

**INGESTION:** Treat symptomatically and supportively. Maintain airway and respiration. If vomiting occurs, keep head below hips to prevent aspiration. Dilute by rinsing the mouth and giving water or milk to drink is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

**INHALATION:** Not a normal route of harmful exposure. Move victim to fresh air, if symptom develops. If symptoms persist obtain medical attention.

# Material Safety Data Sheet

---

## 5. FIRE FIGHTING MEASURES

---

Extinguishing Media: Alcohol type or all-purpose foam for large fires, CO2 or dry chemicals

Fire Fighting Procedures: Self-contained air supply suggested

Unusual Fire and Explosion Hazards: Contents under pressure. Container may explode with heat. Cool containers with spray and remove source of ignition if safe.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

Before attempting clean up refer to hazard data given above. Remove sources of ignition. Although chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with non-flammable absorbent such as sand or vermiculite.

---

## 7. HANDLING AND STORAGE

---

Keep out of reach of children. Store in away from heat or open flames, in a cool dry place. Exposure to temperatures above 120°F may cause container to burst.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**Gloves:** Not normally required.

**Eye protection:** Not normally required.

**Respiratory Tract:** Not normally required

**Ventilation:** Local: Not required

**Carcinogenic:** Non – hazardous by WHIMS/ OSHA criteria

**Teratogenicity, Mutagenicity, Reproductive Effects:** No data available

**Other protective equipment:** None required

**Protective Work/Hygiene Practices:** Follow labeling instructions

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Specific Gravity@20°C: 0.67

Pressure @ 20°C: 78psig

Appearance/Odor: Clear colorless, liquid with fragrance

---

## 10. STABILITY AND REACTIVITY

---

Conditions to Avoid: Aerosol containers are unstable at temperatures above 120°F /49°C; avoid open flames, and very hot surfaces.

Incompatible materials: Oxidizing agents, caustics, and acids

Hazardous Decomposition By-Products: May include and are not limited to oxides of carbon when heated to decomposition.

Hazardous Polymerization Conditions: None Known

---

## 11. TOXICOLOGY INFORMATION

---

Currently there is no data available.

---

## 12. ECOLOGICAL INFORMATION

---

Discharge, treatment, or disposal may be subject to national state or local laws.

# Material Safety Data Sheet

---

## 13. DISPOSAL CONSIDERATION

---

Do not reuse empty containers. This container may be recycled in a few and growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to label. DO NOT PUNCTURE CAN! If recycling is not available discard the containers into the trash.

---

## 14. TRANSPORTATION INFORMATION

---

	STATUS	Shipping Name	CLASS	ID#	Pkng. Grp
DOT	Regulated	Consumer Commodity	ORM-D		N/A
IATA	Regulated	Aerosols, Flammable	2.1	UN1950	N/A
IMDG	Regulated	Aerosols	2	UN1950	N/A

Nacional Motor Freight Classification and LTL Class: 57100 Sub 3 Class 60

---

## 15. REGULATORY INFORMATION

---

NFPA RATINGS (Scale 0-4, where 4=high degree of hazard): HEALTH=2 FLAMMABILITY=3 REACTIVITY=1  
HMIS RATINGS (Scale 0-4, where 4=severe hazard): HEALTH=2 FLAMMABILITY=3 REACTIVITY=1

SARA 311-312 Classification: Fire Hazard – Acetone

SARA 313 Classification: Diethylene Glycol Monothyl Ether (Carbitol) - listed Glycol ethers

OSHA Classification: Flammable liquid, eye irritant: Acetone, Hexylene Glycol

TSCA Inventory Listing: (Toxic Substances Control Act) – All ingredients are listed on the chemical substance inventory exempt

California Proposition 65- Contains Ethanol.

FEDERAL AND STATE REGULATIONS: Hexylene glycol, Dipropylene Glycol

Pennsylvania

New Jersey

Illinois

Massachusetts

Rhode Island

Minnesota

CERCLA: Acetone

Workplace Hazardous Materials Information System: WHMIS Classification: Class D-Division 2B, Class B- Division 5 Flammable liquid, Class A: Compressed Gas

---

## 16. OTHER INFORMATION

---

Product Sales Information: 1-800-745-4657

MSDS Information: 847-837-4100

Revision Notes: MSDS: MSDS has been revised to comply with ANSI Z400.1-1998, 16 section MSDS format.

Rev.001, MSDS # VOC-302-9905, 01/ 05, Rev. 002 09/06, Rev. 003 7/07.

N/A = Not Applicable

N.E. = not established

MSDS Prepared by: Regulatory Compliance

Disclaimer:

The information on the MSDS was obtained from sources that we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusion drawn herein is from sources other than direct test data on the substance itself. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with handling, storage, use or disposal of this product. If this product is used as a component in another product, this MSDS information is not applicable.