

# MATERIAL SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY



Product name : PRO-LINK TOILET SEAT CLEANER REFILLS  
Datasheet No. : PRO-006  
Product Use : Toilet seat sanitizing product  
  
Supplier : Pro-Link Inc.  
Address : Canton MA  
Telephone : 1-800-74LINKS

**+** EMERGENCY TELEPHONE NUMBER:  
**Call INFOTRAC : 1-800-535-5053 24-Hrs per Day; 7-Days per Week**

### 1.2 Trading Name

Toilet Seat Cleaner Refill (TS01-R)

## 2. HAZARD INFORMATION

Odour: Floral Odour  
Appearance: Liquid, colourless  
Contact with Eyes: May cause irritation  
Contact with Skin: Not expected to present a hazard  
Inhalation: May cause dizziness, confusion, headache or stupor  
Ingestion: May cause nausea/vomiting. The ingestion of significant quantities may cause unconsciousness

## 3. COMPOSITION / INFORMATION ON CONSTITUENTS

Chemical Name	Concentration	CAS Number	EC Number	R Phrases	Symbols
Ethanol	30-60%	64-17-5	200-578-6	R11	F

## 4. FIRST AID MEASURES

Contact with skin:

- remove contaminated clothing
- wash affected area with plenty of soap and water
- seek medical attention if irritation persists

Contact with eyes:

- if substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes
- irrigate eyes thoroughly whilst lifting eyelids
- seek medical attention if irritation persists

Ingestion:

- do not induce vomiting
- rinse mouth with water (do not swallow)
- give 200-300mls (half pint) water to drink
- seek medical attention

Inhalation:

- remove patient to fresh air
- keep warm and at rest
- seek medical attention if irritation persists

# MATERIAL SAFETY DATA SHEET

## 5. FIRE FIGHTING METHODS

- Flammable (R10)
- Carbon oxides may be formed
- May form explosive vapour/air mixtures
- Substance evolves toxic fumes, wear self-contained breathing apparatus
- May be extinguished with water fog/spray. Use alcohol resistant foam if available
- Keep container(s) exposed to fire cool by spraying with water
- Vapours may ignite

## 6. ACCIDENTAL RELEASE MEASURES

Immediate Actions:	Shut off all ignition sources
Clean Up Actions:	Absorb spillage in suitable inert material Place in appropriate container
Special Precautions:	Do not allow to enter public sewers and watercourses In confined spaces, sewers, etc., the vapours may collect to form explosive mixtures with air. Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback.

## 7. HANDLING & STORAGE

Handling:	Keep away from heat and sources of ignition Eyewash bottles should be available When using do not eat, drink or smoke (S20/21) Do not breathe vapours excessively (S23) Avoid contact with skin and eyes (S24/25)
Storage:	Keep in a cool, dry, well ventilated place Keep out of reach of children (S2)

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	If practicable, engineering controls should be provided where airborne concentrations exceed exposure limits
Precautionary Measures:	No special precautions are required for this product.
Personal Protection:	Wear eye protection if splashing is likely Wear approved respirator if exposure likely to exceed MEL/OES Wear plastic or rubber gloves
Exposure Limits:	There are no recommended or established controls for this product
Ethanol:	OES/LTEL 1000 ppm 1920 mg/m <sup>3</sup>

# MATERIAL SAFETY DATA SHEET

## 9. PHYSICAL & CHEMICAL PROPERTIES

Odour: Floral Odour  
Appearance: Liquid, colourless  
Solubility: Completely soluble in water  
Flammable R10

## 10. STABILITY & REACTIVITY

Stable  
Keep away from heat and sources of ignition  
Incompatible with oxidizing substances  
Decomposition products may include carbon oxides

## 11. TOXICOLOGICAL INFORMATION

Inhalation of vapours may give rise to nausea, headaches and dizziness  
May be irritating to eyes  
May cause nausea/vomiting  
The ingestion of significant quantities may cause unconsciousness

## 12. ECOLOGICAL INFORMATION

Ecotoxicology: Presents little or no hazard to the environment  
Environmental Fate: To the best of our knowledge, the properties of this material have not been fully evaluated  
Environmental Hazard Values: To the best of our knowledge, the properties of this material have not been fully evaluated

## 13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with Local, State or National Legislation  
Incineration by an approved method could be considered  
Do not empty into drains (S29)

## 14. TRANSPORT INFORMATION

Proper Shipping Name : Flammable Liquid, N.O.S. (contains Ethanol)  
Emergency Action Code : Proper Shipping Name : Flammable Liquid, N.O.S.  
EAC : 3Y  
  
UN : Proper Shipping Name : Flammable Liquid, N.O.S.  
UN No. : 1993  
Hazard Class : 3  
Packing Group : III  
  
Road/Raid (ADR/RID) : Proper Shipping Name : Flammable Liquid, N.O.S.  
ADR UN No. : 1993  
ADR Hazard Class : 3  
ADR Item No. : -  
ADR/RID No. : 30  
Tremcard : 30GF1-III

# MATERIAL SAFETY DATA SHEET

## 14. TRANSPORT INFORMATION - Continued

Sea (IMDG) : Proper Shipping Name : Flammable Liquid, N.O.S.  
IMDG UN No. : 1993  
IMDG Hazard Class : 3  
IMDG Page No. : -  
IMDG Pack Group : III  
IMDG EmS : F-E, S-E  
IMDG MFAG :

Air (ICAO/IATA) : Proper Shipping Name : Flammable Liquid, N.O.S.  
ICAO UN No. : 1993  
ICAO Hazard Class : 3  
ICAO Packing Group : III

DOT / CFR (US Department of Transportation)

DOT : Proper Shipping Name :  
Hazardous Material :  
Hazard Class :  
Identification Number :  
Product RQ (lbs) :

## 15. REGULATORY INFORMATION

### 15.1 Labelling According to EC-Guidelines

#### Symbol Of Danger



Flammable

#### Classification and Labelling

- This Safety Data Sheet does not constitute a workplace risk assessment
- The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents.

#### Applicable Laws

- This Safety Data Sheet is provided in compliance with The Safety Data Sheets Directive (2001/58/EC)

#### R-Phrases

R10 : Flammable

#### S-Phrases

S2 : Keep out of the reach of children

## 16. OTHER INFORMATION

### **NOTICE FROM PRO-LINK INC:**

The information on this Material Safety Data Sheet whilst believed to be reliable is intended for use by skilled persons at their own risk. Pro-Link Inc. assumes no responsibility for events resulting or damages occurring from its use. The information on this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.