

**Company Name Address:**

Pro-Link, Inc. Canton, MA 02021

Information Telephone Number(s)

781-828-9550

Section 1 - Product InformationProduct Name (ID #): **Blaze**

EMERGENCY TELEPHONE NUMBER

Product Type: Floor Stripper

1-800-535-5053

Section 2 - Information on Ingredients

Chemical Name	% by Weight	Cas #	OSHA PEL	ACGIH TLV
*2 - Butoxyethanol	< 50%	111-76-2	50 ppm	25 ppm (TWA)
Monoethanolamine	< 10%	141-43-5	3 ppm	3 ppm

*Chemicals marked with an asterisk in Section Two are subject to the reporting requirements for Section 313 of Title III of the Superfund Amendments & Reauthorization Act (SARA) of 1986 & 40 CFR Part 372.

Section 3 - Hazards Identification**Emergency Overview:**

Keep Out of Reach of Children. WARNING: COMBUSTIBLE. Causes burns to skin and eyes. Harmful if swallowed. May be harmful if inhaled. Possibility of harmful absorption through skin.

Potential Health Effects**Primary Routes of Exposures**

Eyes, skin, oral and inhalation are the principle routes of exposure

Acute Eye Contact:

Causes severe irritation and burns to the eyes.

Acute Skin Contact:

Causes severe irritation and burns. Possibility of harmful absorption through skin.

Acute Ingestion:

Harmful if swallowed.

Acute Inhalation:

Excessive inhalation may cause headache or dizziness.

Chronic Information:

May cause liver and kidney damage.

Carcinogenicity: IARC – No

NTP – No

OSHA – No

ACGIH – No

Section 4 - First Aid Measures**Skin Contact:**

Remove any contaminated clothing and wash before reuse. Wash affected area with water for 10-15 minutes. If irritation persists, call physician.

Eye Contact:

Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

Ingestion:

Do NOT induce vomiting. Drink plenty of water to dilute contents in stomach. Consult physician.

Inhalation:

Remove to fresh air. If qualified, give artificial respiration if breathing is difficult. Get immediate medical attention.

(If any condition persists - Consult a physician).

Section 5 - Fire Fighting Measures

Flash Point (Method): >150°F

Flammable Limits: LFL NE

UFL: NE

Fire & Explosion Hazards: NA

Extinguishing Media:

Carbon Dioxide, Dry chemical or foam.

Special Fire Fighting Procedures

NA

Hazardous Combustion Products:

On burning oxides of carbon.

Section 6 - Accidental Release Measures

Contain spill. Neutralize with mild acid. Flush with large quantities of water.

Section 7 - Handling and Storage

Store away from acid and sources of ignition. Keep out of reach of children. Wash thoroughly after handling.

Section 8 - Exposure Controls Personal Protection**Eye Protection:**

Safety Glasses or Goggles

Skin Protection:

Rubber Gloves

Respiratory Protection:

None normally required if general good ventilation is maintained. Use organic vapors respirator under high vapor conditions.

Ventilation Requirements:

Local and mechanical as needed to keep below any listed TLV's or for general good ventilation.

Other:

Chemical apron

Section 9 - Physical / Chemical Properties

Physical Form:	Liquid	pH:	11.8 ± 0.5
Color:	Purple	Specific Gravity:	0.973
Odor:	Solvent	Solubility:	100%
Boiling Point:	Approximately 212°F	Freezing Point:	NE
Evaporation Rate:	About the same as water.	% Volatile:	97%
Vapor Pressure:	NE	V.O.C.	60%

Section 10 - Stability and Reactivity**Stability:**

This product is stable at ambient temperature and pressure.

Hazardous Decomposition Products:

On burning oxides of carbon.

Hazardous Polymerization:

Will not occur

Incompatibility:

Strong acids and bases. Oxidizers.

Section 11 - Toxicology Information

Not established.

Section 12 - Ecology Information

Not established.

Section 13 - Disposal Considerations

Probable that small, diluted neutralized solutions may be flush to sanitary sewer. Check all government regulations.

Section 14 - Transport Information

DOT

Proper Shipping Name: Corrosive liquid, basic, inorganic, N.O.S. (Monoethanolamine)

Packing Group: III **Emergency Guide No:** 154

DOT Label: Corrosive **Hazard Class:** 8 **ID Number:** UN 3266

Section 15 - Regulatory Information

Toxic Substances Control Act:

All components of this product are on the TSCA inventory.

Section 311 / 312:

Immediate, delayed health hazard, fire hazard.

Section 313:

See section 2.

OSHA Hazard Communications Standard (29 CFR 1910.1200)

This product is hazardous by definition of the Hazard Communication Standard.

NPCA Hazardous Material Identification System (HMIS Rating) Health 2 Flammability 2 Reactivity 0

Section 16 - Other Information

Disclaimer: No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature, are made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present unknown health hazards and should always be used with caution. The information and recommendations contained herein are presented in good faith and are supplied pursuant to 29 CFR 1910.1200. The user should review this information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, with all applicable Federal, State and local regulations governing the use and disposal of this material.

Prepared by: Regulatory Affairs Department.